

असाधारण EXTRAORDINARY

সন্ত II—ৰুত্ত 3—রুত্ব-ৰুত্ত (i) PART II—Section 3—Sub-section (i)

प्राधिकार से प्रकाशित PUSIASHED BY AUTHORITY

सं. 54)

मई दिल्ली, सोमवार, फरयरी 3, 1992/माछ 14, 1913

No. 54]

NEW DELHI, MONDAY, FEBRUARY 3, 1992/MAGHA 14, 1913

हास भाग में नितन पृष्ठ संद्या यो जाती है जिससे कि यह शहर संकारन के रूप में रखा का सब

Separate Paging is given to this Part in order that it may be filed as a separate compilation

उद्योग मंत्रालय

(औद्योगिक विकास विभाग)

ग्रधिस्चना

नई दिल्ली, 3 फरवरी, 1992

सा.का. नि. 78(म्र) :—स्थिर और गतिशील दाब पाल्ल (म्राज्यिलत) नियम, 1981 (जिन्हें इसमें इसके पश्चात् उक्त नियम कहा गया है) का संशोधन करने के लिए कित्पय नियमों का निम्नलिखित प्रारूप, जिसे केन्द्रीय सरकार द्वारा विस्फोटक म्राधिनियम, 1984(1984 का 4) की धारा 5 और धारा 7 द्वारा प्रयक्त मिक्तियों का प्रयोग करते हुए, उक्त म्राधिनियम की धारा 18 की उपधारा (1) की म्रापेक्षानुसार ऐसे सभी व्यक्तियों की जानकारी के लिए प्रकाशित किया जाता है, जिनके उससे प्रभावित होने की संभावना है और इसके द्वारा यह सूचना दी जाती है कि उक्त प्रारूप पर उस तारीख से 45 दिन के पश्चात् विचार

किया जायेगा जिस तारीख को उस राजपत्न की प्रतियां, जिसमें यह ग्रधिसूचना ग्रन्तिबिष्ट हैं, जनता को उपलब्ध करा दी जाती हैं।

किन्हीं ऐसे भ्राक्षेपों या सुझावों पर, जो उपयुक्त विनिर्दिष्ट तारीख़ से पूर्व उक्त प्रारूप की बाबत किसी अ्यक्ति मे प्राप्त होंगे, केन्द्रीय सरकार विचार करेंगी ।

- इन नियमों का संक्षिप्त नाम स्थिर और गितशील दाब पात्र (श्रज्वलित) संशोधन नियम, 1991 है।
 - 2. उक्त नियमों के नियम 2 में-
 - (1) खंड (घ) केस्थान पर निम्नलिखित खंडरखा जायेगा, भ्रर्थात् :--
 - (घ) "सक्षम व्यक्ति" से ऐसी गैसों और ऐसी ग्रवधि के लिये उन नियमों में, ग्रनुबद्ध प्रतिष्ठानों और परिवहन यानों का परीक्षण, परीक्षा, निरीक्षण और प्रमाणन करने के लिये मुख्य नियंत्रक द्वारा

मान्यनाशास्त्र सक्षम व्यक्ति या कोई संगठन ग्रमिन्नेत है यदि ऐपे व्यक्ति या संगठन के पास इन नियमों के परिशिष्ट 2 में दी गई श्रहिताएं, श्रनुभव और ग्रन्य अपेक्षाएं हैं और वह नियम 11 क में ग्रिधिकथित प्रक्रिया के श्रनसार मान्यना प्राप्त है;

परन्तु मुख्य नियलक किरी राक्षम व्यक्ति की बाबत स्रह्नाओं की अपेक्षाओं को शिजिल कर मफेगा यदि वह व्यक्ति ग्रापवादिक का में अन्भवी और जानी है किन्तु वह उसके श्रधीन मुविधाओं की बाबत अपेक्षाओं को शिथिल नहीं कर सकता ;

- (2) खंड (ङ) के स्थान पर निम्नलिखित खंड रखा जायेगा, ग्रर्थात :---
 - (ङ) "संगोड़ित गैंस" से कोई स्थायी गैंस, द्रवणीय गैंस या द्रव में दाव या गैंस मिश्रण में धूली गैंस जो एक बंद दाब पान्न, में ग्रश्नितम कार्यवारण नापमान पर हो वायुमंडल (भेज) उत्पन्न करती है, ग्राक्षिप्रेत हैं और इसके ग्रन्तर्गत हाईड्रोजन फ्लोराइड है। रोधन रहित या प्रणीतन रहित पान्नों के मामले में अधिकतम कार्यकरण नापभान 55° सें. समझा जायेगा।
- (3) खंड (त) के स्थान पर निम्नलिखित खंड रखा जायेगा, श्रर्थात् :---
 - (त) "निरीक्षण" के वह मुनिश्चित करने के लिये कि दाब पाल ग्राई एस: 2825 या मुख्य नियंवक हारा ग्रन्मोदित किसी ग्रन्य कोष्ठ के ग्रन्मार डिजाइन किये गये हैं और उन्हीं के ग्रन्मार उनका मनिर्माण किया गया है, इन नियमों में ग्रनुबद्ध संविरचन के दौरान प्रक्रमवार निरीक्षण करने के पण्चान् दाब पाल और उनकी फिटिंग्ज का प्रमाणन करने के लिये मुख्य नियंवक हारा मान्यताप्राप्त कोई वृत्तिक संगठन ग्रिक्षिये हैं यदि संगठन के संघटक मतस्यों के पास इन नियमों के परिणिप्ट-2 में दी गई ग्रहीताएं और ग्रनुभव तथा ग्रन्य प्रवेक्षाएं हैं और उन्हों नियम 11क में ग्रधिकथित प्रक्रिया के ग्रनुसार मान्यता प्रदान की गई है।
- (4) खंड (न) के स्थान पर निम्नलिखित खंछ रखा जायेगा, ग्रर्थात् :----
 - (न) "दावपात्र" से किसी भी श्राकार का किसी संपीड़ित गैंस के भंडारण और परिवहन के लिये श्राशियत कोई ऐसा संबृत्त धात् का ग्राधान ग्राभिष्ठेत है जो ग्रान्तिरिक दाब के ग्रधीन होता है और जिसकी जलधारित एक हजार लिटर से ग्रिधिक है और इसके ग्रन्तर्गत संबंधित

पाइणिंग और फिटिंग से संयोजन के प्रथम विन्दुं तक उसके प्रक्तरयोजी पूर्जे और संघटक भी हैं, परन्तु इसमें वे श्राधान जिनके श्रन्तर्गत भाप या श्रन्य वाष्प का उत्पादन होता है या उसके उत्पादन के लिये श्राणित है स्रथचा जल या अन्य प्रव शिन के प्रयोग या दहन के उत्पादों हारा श्रथवा विधुन साधनों हारा, तप्त किये जाते हैं श्रथवा तप्त किये जाते के लिये श्राणित है, ताप-विनिध्यक, वाष्पत, वायु-ग्राही प्रवाणी संपाधित, प्रवाणी निर्जनक, शाटीक्तव, रिएटर, कैलीरीफायर और दाब पाइपिंग, संघटक जैसे पृथक्कारी या चालित्वत्र और पाल जिनमे दाब श्रक्रिय गैस के क्लेककेट के श्रधीन द्रव हो, सिम्मिणित नहीं है।

3. उका नियमों के नियम 3 के स्थान पर निम्तलिखित रखा जायेगा, ग्रथीत :---

"3. सामान्य छूट:—हन निधमों की कोई भी बात संयंत्र से संबंधित ऐसे पात्रों को लागू नहीं होगा जो किसी प्रसंस्करण संयंत्र के भाग हैं। इस नियम के प्रयोजन के लिये, ऐसे पात्र, जो प्रसंस्करण के भाग हैं, से ऐसे पात्र, जो प्रसंस्करण के भाग हैं, से ऐसे पात्र ग्रिभेत हैं जिनमें प्रसंस्करण श्रपेक्षा के रूप में, प्रसंस्करण संयंत्र में प्राप्त और उपयोग लाई गई दाव गैस के हैं परन्तु नब तक जब ऐसे पात्रों की जल अमता डिजाइन की गई प्रवाह दर पर 16 घंटे से श्रनधिक श्रवधि के लिये उपयोगी बिन्दु (बिन्दुओं) के पोषण के लिये श्राध्यय गैस सक्षमता के समत्हर है।"

- 4. उक्त नियमों के नियम । में, उपनियम (2) के स्थान पर निम्नलिखित उपनियम रखा जायेगा, धर्षान् :—
 - "(2) उपनियम (i) के प्रधीन प्रनुमोदित प्रकार या मानक या कोड के अनुसार पादों का विनिर्माण करने वाले किसी कारखाने का प्रनुमोदन मुख्य नियंत्रक द्वारा किया जायेगा। ऐसा अनुमोदन प्राप्त करने का इच्छुक व्यक्ति मुख्य नियंत्रक को निम्नलिखित प्रस्तुत करेगा—
 - (क) इन नियमों के परिणिष्ट-1 में विनिर्दिष्ट विणिष्टियां
 - (ख) पांच सी भपये की जांच फीस।"
- 5. उक्त नियमों के नियम 11 के स्थान पर नियन-विश्वित नियम रखा जायेगा, शर्थात् :—

"फीस के संदाय की प्रिश्रया:—इन नियमों के अधीन देय सभी पीम मुख्य नियंत्रक विस्फोट विभाग, नागपुर के नाम पर लिखे गये किसी भी राष्ट्रीयकृत बैंक के कास मांग-देय ड्राफ्ट द्वारा संदत्त की जानी चाहिए और

जहां देय रकम 100 ह. (एक सौ ह्यये) में अधिक नहीं है, वहां संदाय नकद मनोआईर, पोस्टल ब्राउंग था स्थानीय बैंक पर लिखे गये नैक हारा किया जा सकता है।

 6. उक्त नियमों के नियम 11 के पण्नात् निम्नलिखित नियम अन्तः स्थापित किया जायेगा, अर्थात्:——

"11-क. सक्षम व्यक्ति और निरोक्षक की मान्यता प्रदान किया जाना और उसके प्रतिसंहरण की प्रक्रिया :---

- (1) सक्षम व्यक्ति या निरीक्षण के स्व में माल्यता प्राप्त करने का इच्छुक व्यक्ति मुख्य नियंत्रक को परिशिष्ट-3 में बिहित प्रारूप में ब्रावेदन देगा। प्रत्येक ब्रावेदन के साथ मक्षम व्यक्ति के लिए अविदन हेतु 500 रु. और निरीक्षक के लिए ब्रावेदन हेतु 1000 रु. जांच फीप माथ लगी होगी। मुख्य नियंत्रक ऐसे ब्रावेदन का रिजस्ट्रीकरण करेगा और ब्रावेदन प्राप्त होने की तारीख से साठ दिन की श्रवधि के भीतर क्षमता और वृत्ति श्राचार के संबंध में ब्रपना ममध्यान हो जाने पर या तो ब्रावेदक को यथास्थिति, सक्षम व्यक्ति या निरीक्षक के रूप में मान्यता दे देगा या कारण विनिदिष्ट करते हुए श्रावेदन को न मंजूर कर देगा।
- (2) मुख्य नियंत्रक निरीक्षक या सक्षम व्यक्ति को सुनवाई का श्रवसर देने के पश्चात् मान्यता को प्रतिसंहरण कर सकेगा--
 - (क) यदि उसके विषयास करने का यह कारण है कि निरीक्षक या सक्षम व्यक्ति ने मान्यता पत्न में श्रनुबंधित किसी एर्त का उल्लंघन किया है या कोई परीक्षण, परीजा और निरीक्षण किया है या किसी ऐस ढंग से कार्यवाही को है जा इन नियमों के ग्राशय या प्रयोजन से श्रसंगत है;
 - (ख) किसी श्रन्य कारण से जिसे नेखबद्ध किया जायेगा।"
- उक्त नियमों के नियम 18 के स्थान पर निम्न-लिखित खंड रखा जायेगा, ग्रर्थान् :---
 - "(xiii) मोचन बाल्वों के ठीक प्रचालन के लिए किसी राक्षम व्यक्ति द्वारा वर्ग में कम से कम एक बार परीक्षण चित्रा जायेगा और ऐसे परीक्षण का श्रमित्रख रखा जासेगा। परीक्षण प्रमाणपत विहित प्ररूप में जारी किया जासेगा।"
- उक्त नियमों के नियम 19 में, उपनियम (1)(क)
 के स्थान पर निम्नलिखा जोड़ा जायेगा, श्रथीत्:---

"ऐसे पाला की दशा में जिन्हें इस प्रकार डिजाइन किया गया है, उनका प्रक्रिमणि किया गया है या उन्हें कोई समर्थन दिया गया है या उन्हें समर्थन दिया गया है कि उन्हें द्वत्र चालित परीक्षण के तिए जन या द्वत्र से सुरक्षित रूप से नहीं भरा जा सकता या वे ऐसे हैं जिनका उपयोग इन सेवाओं में किया जाता है जहां जल की धाराओं को सहन नहीं किया जा सकता, मुख्य नियंत्र रूरक्षा पूर्ववधानियों की पर्याप्ता के संघंच में आना समाधान हो जाने के पश्चान् पात्र एविश्वन संहिता में अबिक्शित प्रक्रिया के श्रापार द्वय चालित परीक्षण के स्थान पर अविनाशी परीक्षणों के साथ-पाय वात्र प्रजलत परीक्षण की श्रनुआ दे सकेगा।"

- (ख) उपनिषम (2) में, "उपनिजम (1) के अबीन प्रथापिक्षा परीक्षण हरने जाना सक्षम व्यक्ति अमागनज्ञ जारी करेगा" शब्दों, कोण्डकां और अंक के स्थान पर "उपनिषम (1) के अबीन प्रथापिक्षा परीक्षण करने बाला सक्षप व्यक्ति बिद्धा प्रकार में प्रमाणनज्ञ जारी करेगा।" शब्द, कोण्डक और अंक रखा जायेगा।
- 9. उका नियमों के नियम 33 में "प्रोकार्मा" गडद ने पूर्व भ्राने वाने "निर्माण" शब्द के स्थान पर "मुज्य नियंत्रक द्वारा विह्नि" गड्द रखे जायेंगे। नियम 33 के नीचे दिये गये प्रोकार्मा का लोग किया जायेगा।
- 10. जक्त नियमों के नियम 43 में "इस श्राणय का मुग्क्षा प्रमाणपत्र" गब्दों से पूर्व "विहित प्रोक्तामी में" गब्द रखे जायेंगे।
 - 11. उन्त नियमों के नियम 44 में,--
 - (क) उपनियम (1) में, "यान का यह मुनिश्वा करने के लिए कि वह हुए समा रोड पर चनने लाय है, और यह भरने, परिवहन और इनके भार को गुरक्षित रूप से विमर्जन करने के लिये ठीक दशा में हैं, निरीक्षण किया जायेगा" मज्दों के स्थान पर "यान की यह मुनिश्चित करने के लिए कि यह हुर समय सड़क पर चलने लायक है, और यह भरने, परिवहन और इनके भार को मुरक्षित रूप से विमर्जन करने के लिए ठीक दशा में है, जांच करेगा।" शब्द रखे जायेंगे।
 - (ख) उपनियम (2) के स्थान पर निम्तितिखित उपनियम रखा जायेगा, अर्थात्:—"(2) सजन व्यक्ति हर छह मास में यह जांच करने के लिये कि यान का अनुरक्षण उपनियम (1) के स्रजीन किया जा रहा है यान की जांच करेगा और विहिन प्रोकार्मा में प्रमाणका जारी करेगा।"
- 12. उक्त नियमों के प्रध्याय 7 में शीर्षक के स्थान पर निम्नलिखित रखा जायेगा, श्रयांत्:---

"दुर्पटना और क्षति" ।

13. उक्त नियमों के परिशिष्ट को परिशिष्ट-1 ें रूप में संख्यांकित किया जायेगा और इस प्रकार संख्यांकित परिशिष्ट-1 के पश्चात् निम्नलिखित परिणिष्ट जोड़े जायेंगे, ग्रर्थान्:--

परिशिष्ट- 2

[नियम 2 (घ) देखिए]

निरीक्षक और मक्षम व्यक्ति के लिये मह्ताएं और धनुभव

	वह नियम जिसके मधीन सक्षमता को मा दी जाती है	ग्रहेता और भ्रन्य भ्रपेक्षाएं न्यता	इस प्रयोजन के लिए भ्रनुभव	यूननम सुविधाएं
1	2	3	4	5
1. निय	म 12(3) निरीक्षक	(1) किसी मान्यताप्राप्त थिण्यविद्यालय से रमायनिक या यांत्रिक या मौसम विज्ञान या समुद्री ढंजीनियरी में डिग्री या समतुल्य वृत्तिका श्रहंता ।	(1) दाक पाक्रों और वाबाधीन संचालित म् उपस्करों के क्षांकन, संविरचन और संविरचन और संविचरन के दौरान प्रक्रमवार निरीक्षण का कम से कम 10 घर्ष का अनुभय।	ख्य नियंत्रक विस्फोटक द्वारा समय-समय पर विनिर्दिष्ट की जायेगी ।
		(2) परीक्षण और परीक्षा करने के लिये भारीरिक रूप से योग्य और मानिसिक्ष रूप से स्वस्थ	(2) जिसे— (क) दाबपान्नों और उनकी फिटिंग से सबधित सुसंगत संविरचन कोड और परीक्षण प्रक्रिया की जानकारी हो । (ख) प्रज्वलित दाब पात्नों के रूपांकन और सुरक्षा से संबंधित कानृती श्रपेक्षाओं की जानकारी हो ।	
_	म 18, 19, 33, 43 44	 रसायनिक या यांत्रिक शंजीनियरी यां समुद्री शंजीनियरी में डिग्री या समतुख्य वृतिका झईताएं। परीक्षण और परीक्षा करने के लिये शारीरिक रूप से योग्य और मानिसक रूप से स्वस्थ। 	(1) निम्निसिखित में कम से कम 10 दे वर्ष का अनुभव (क) क्पोकन और मंबिरचन, संनिर्माण संवालन अनुरक्षण और (ख) दाब पान्नो या दाबाधीन संचालित उपस्कर का परीक्षण, परीक्षा और निरीक्षण।	 श्व चालित परीक्षण, घविनाशी परीक्षण गेज उपस्कर/मापने हेतु जुगत और कोई ग्रन्य गेज या उपस्कर जो दाज- पान्नों के उपयोग में मुरक्षा श्ववधारित करें।
			(2) जिसे—~ (क) दाब पात्रों से संबंधित मुपंगत पत्नित कोड और परीक्षण प्रक्रिया की जानकारी हो,	
			(ख) भ्रज्यलिस दाब पास और परिवहन यानों सबंधित कानूमी भ्रपेक्षाओं की जानकारी हो,	
-			(ग) दाब पात्रों को लागू प्रविनासी परीक्षण नकनीक की जानकारी हो,	
			(घ) दास पाद्यों की सुरक्षा से संबंधित कसियों को पहचानने और इसमें किसी दिश्लसनीय निष्कर्ष पर पहुंचने में समर्थ हो ।	

परिणिष्ट-3

[नियम 2(4) श्रौर 11क देखिए]

क. स्थिर और गतिशील वाब पात्र (ग्रज्यलित) नियम, 1981 के श्रधीन सक्षम व्यक्ति के रूप में मान्यता के लिए श्रावेदन

[नियम 18, 19, 33, 43 ग्रौर 44, (2) वेखिए]

- 1. संगठन का नाम और पूरा पता:
- संगठन की हैसियत (विनिर्दिष्ट करें कि व्यप्टि है या सरकारी, स्वशासी, सहकारी निगमित या प्राइवेट निकाय, जो कंपनी श्रधिनियम के श्रधीन रजिस्ट्रीकृत हों)
- वह प्रयोजन जिसके लिए सक्षमता चाहिए (नियम विनिर्दिप्ट करें)।
- 4. क्या संगठन/व्यप्टि को किसी श्रन्य कानून के अधीन सक्षम व्यक्ति घोषित किया गया है, यदि ऐसा है तो ब्यौरा दें।
- 5. (1) संगठन व्यक्ति की स्थापना का स्वरूप ।
 - (2) नाम ग्रीर श्रर्हता (संगठन की देशा में संघटक सदस्यों का)
- (3) परिवहन यानों की दशा में संविर्जन, संस्थापन अनुरक्षण, दाब पान्नों और अनेक फिटिंग की परीक्षा और परीक्षण तथा अन्य संबंधित क्षेत्रों में अनुभव (संगठन की दशा में संघटक सबस्यों के) कृषया परिशिष्ट स्तम्भ 4 में विणित अपेक्षा के प्रशिनिर्देश करें। (अनुभव का दस्तावेजी सब्त संजरन करें)।
- 6. निरोक्षण/परीक्षण करने के लिये संगठन पास उपलब्ध उपस्कर गेज ग्रादि की विशिष्टिया।
- 7. विभिन्न नियमों के अधीन प्रमाणन के लिये प्रक्रमवार निरीक्षण/परीक्षण करने के लिये अनुसरण की जाने वाली प्रक्रियाओं का ब्यौरा।
- कोई ग्रन्य जानकारी।
- 9. घोषणा

मैं———की श्रोर से प्रमाणित करता हूं कि ऊपर विया गया ब्यौरा मेरी पूर्ण जानकारी के श्रनुसार सही है। मैं बननबंध करना हूं फि--

- (1) मुविधाएं ठीक कामकाल की हालन में एखूंगा और उन्हें कालिक रूप में आर्थाकत गुरुवाऊंग।
- (2) सक्षमता प्रंगाणपत्न में सनुर्वाधन सर्गा शर्ती और स्पास समय पर मुख्य नियंत्रक द्वारा जारी किये गये अनुदेशों को पूराकरूंगा ग्रीर उनका पालन करूंगा।

स्थान :

संगठन के प्रधान के हस्ताक्षर

नाम श्रोर पदनाम---

तारीय:

संस्थाकी मुद्रा

खः स्थिर ग्रीर गतिशील दाब पाल (श्रुज्वलित) नियम, 1981 की परिधि के प्रधीन ग्राने बाले निरीक्षक के रूप में मान्यता के लिए ग्रावेदन।

[नियम 12(2) देखिए]

- 1. संगठन का नाम श्रीर पूरा पता:
- 2. संगठन की हैसियत

वितिर्दिष्ट करें कि व्यष्टि है या सरकारी, स्वगासी, सहकारी, निगमित या प्राइवेट निकाय, जो कंपनी अधिनियम के अधीन रजिस्ट्रीकृत हीं।

- क्या संगठन को इस कानून या किसी प्रन्य कानून के प्रधीन सक्षम व्यक्ति घोषित किया ग्रा है। यदि ऐसा है तो उसका ब्योग दें।
- 4. (1) संगठन का स्वरूप।
- (2) संगठन श्रीर संघटक सदस्यों का दाब पावों के संवि-रचन के दौरान प्रक्रमवार निरीक्षण श्रीर अनेक पिटिंग तथा ग्रन्थ क्षेत्रों में श्रनुभव। कृपया परिणिष्ट 2 के स्तम्भ 4 में विणित अपेक्षाश्चों के प्रतिनिर्देश करें। (कृपया श्रनुभव का दस्तावेजी सबुत संलग्न करें)।
- निरीक्षण/परीक्षण करने के लिये संगठन के पास उनलब्ध उपस्कर गेज श्रादि की विशिष्टियां।
- प्रमाणन के लिये प्रक्रमवार निरोक्षग/परोक्षग करते के लिये ग्रनुसरण की जाने वासी प्रक्रिया का ब्यौरा।
- ग्रनेक पक्षकारों को जारी किये जाने वाले परीक्षण और निरोक्षण प्रमाणपत्र का प्रोफार्मा।
- कोई ग्रन्थ जानकारी।
- घोषण .

संगठन के प्रधान के कुलाञ्चर

रपान:

नाम और पदनाम:

तारीख:

संस्था की मुद्रा

गः किसी व्यक्ति को उस संगठन के स्वामित्व में श्रौर उसके द्वारा संचारित भंडारण प्रतिष्ठातों या परिवहन यानों के प्रसाणन के लिए, जिसमें वे नियोजित हैं, स्वामता प्रसाणपल देने के लिये श्रावेदन।

- 1. नाम
- 2. जन्म तिथि
- 3. संगठन का नाम
- 4. पदनाभ
- गौक्षिक प्रर्हता (शिक्षा प्रभाणपत्नों की प्रितयां संलग्न करें)
- वृत्तिक ग्रनुभव की विशिष्टियां (क्रमानुगार)

संगठन का नाम सेवा की श्रवधि पदनाम दायित्व क्षेत्र

- 7. वृत्तिक निकायों की सदस्यता, यदि कोई हो।
- उपलब्ध सुविधायों (परीक्षा/परीक्षण स्रादि) का ब्यौरा।
- वह प्रयोजन जिसके लिये सक्षमता प्रमाणपत्र चाहिए (विनिर्विष्ट करें)।
- 10. क्या भावेदक को किसी कान्न के अधीन सक्षम व्यक्ति घोषित किया गया है (यदि ऐसा है तो उसका क्योरा दें)।
- 11 कोई अन्य मुसंगत जानकारी।
- 12. ग्रावेदक द्वारा घोषणा।

मैं————घोषणा करता हूं कि ऊपर दी गई जानकारी सत्य है। मैं वचनबध करता हूं कि——

- (क) मैं उपर्युक्त संगठन छोड़ने की दशा में मुख्यतया नियंत्रक को तुरंत सूचना दुना।
- (ख) सक्षमता प्रमाणपत्न में प्रनुवंशित सभी गली ग्रीर समय-समय पर मुख्य यियंत्रक द्वारा जारी किये गये श्रनुदेशी को पूरा करूंगा ग्रीर उनका पालन करूंगा।

स्थान :

ग्रावेदक के हस्ताक्षर

तारीखः

संगठन द्वारा घोषणा

पैं--- प्रभाणित करता है कि श्री--- जिनका ह्याँरा उत्तर दिया गया है हमारे नियोजन में है और हम उसे नियमों के प्रधीन सक्षम व्यक्ति के रूप में घोषित करने के प्रयोजन के लिये संगठन की स्रोर से नामनिदिष्ट करने हैं। मैं यह भी बचनबंध करता है कि मैं--,

- (क) सक्षम व्यक्ति के हमारे नियोजन में न रहने की दणा में मुख्य नियंत्रक को मृचित करूंगा,
- (स) रूप' अभित सभी उपपन्य सुविक्षापी की ज्यवस्था **क**र्षण **औ**र कीर हारत में रुबूंगा।

(ग) यदि सुविधायो में कोई परिवर्तन होगा तो उसकी मुख्य नियंत्रक को सूचना दुंगा।

स्थान :

हरताक्ष र

तारीख:

नाम श्रीर पदनाम

टेलीफोन नं.

टेलेंब्स नं.

''उदाहरण : एल.पी.ज. भंडारण पान्न या प्रतिष्ठान के प्रमाणन के लिये किसी परिष्करणी का कोई अधिकारी—''

[फा. सं. 2(5)/89-डो.पी.चार/ईजाजीएस] ए. पी. सिह, संयुक्त सिंघव

नीट :मुख्य नियम भारत के राजपत्र ग्रसाधारण भाग-II खंड 3 उपखंड (iii), दिनांक 4-2-1991 द्वारा प्रकाणित हए।

MINISTRY OF INDUSTRY

(Department of Industrial Development)

NOTIFICATION

New Delhi, the 3rd February, 1992

G.S.R. 78(E).—The following draft of certain rules to amend the Static and Mobile Pressure Vessels (Unfired) Kules, 1981 (hereinafter referred to as the said rules), which the Central Government proposes to make in exercise of the powers conferred by sections 5 and 7 of the Explosives Act, 1884, (4 of 1884), is hereby published as required by sub-section (1) of section 18 of the said Act, for information of all persons likely to be affected thereby and notice is hereby given that the said draft shall be taken into consideration forty-five days after the Gazette containing the notification is made available to the public.

Any objection or suggestion received from any person with respect to the said draft before the date so specified will be taken into consideration by the Central Government.

- 1. These rules may be called the Static and Mobile Pressure Vessels (Unfired) Amendment Rules, 1990
 - 2. In rule 2 of the said rules --
 - (i) for clause (d) the following clause shall be substituted, namely:--
 - '(d) "Competent Person' means a person or an organisation recognised by the Chief Controller, for such gases and for such period as may be specified as competent for carrying out tests, examination, inspections and certification for installations and transport vehicles as stipulated in these rules, if such a person or organisation possesses the qualifications, experience

and other requirements as set out in Appendix-II to these rules and is recognised as per procedure laid down in rule 11A:

Provided that the Chief Controller may relax the requirements of qualifications in respect of a competent person if such a person is exceptionally experienced and knowledgeable, but not the requirements in respect of the facilities at its command:

- (ii) for clause (e) the following clause shall be substituted, namely:---
 - '(e) "Compressed gas" means any permanent gas, liquifiable gas or gas dissolved in liquid, under pressure or gas mixture, which in a closed pressure vessel exercises a pressure exceeding two atmosphere (gauge) at the maximum working 'emperature and includes Hydrogen Fluoride. In case of vessels without insulation or refrigeration, the maximum working temperature shall be considered as 55°C".;
- (iii) for clause (p), the following clause shall be substituted, namely:—
 - "Inspector" means a professional organisation recognised by the Chief Controller for certifying pressure vessles and their fittings after carrying out stagewise inspection during lubrication, as stipulated in the rules so as to ensure that the pressure vessels are designed and constructed in accordance with IS: 2825 or any other Code approved by the Chief Controller, if the constituent members of the organisation possesses the qualifications and experience and other requirements as set out in Appendix-II to these rules and the recognition is granted as per procedure laid in rule 11A.;
- (iv) for clause (t) the following clause shall be substituted, namely:---
 - '(t) "Pressure versel" means any closed metal container of whatever shape, intended for the storage and transport of any compressed gas which is subjected to internal pressure and whose water capacity exceeds one thousand litres and includes inter connecting parts and components thereof upto the first point of connection to the connected pining and fittings, but does not include containers wherein steam or other vanour is, or is intended to be generated or water or other liquid is, or is intended to be heated by the annication of fire, or the products of combustion or by electrical means, heat evolungers, evanorators air receivers steam-type divestors, steam-type sterilizers, autoclaves, reactors, calorifiers pressure piping components such as separators or

strainers and vessels containing a liquid under a blanket of compressed inert gas'.;

- 3. For rules 3 of the said rules the following rule shall be substituted namely:—
 - "3. General exemptions.—Nothing in these rules shall apply to vessels which form part of a processing plant. For the purpose of this rule vessels forming part of a processing plant shall mean vessles which contain, as a process requirement, a compressed gas received from and consumed in the same processing plant, provided that the water capacity of such vessels is equivalent to the gas capacity necessary for feeding the consuming point(s) for a period not exceeding 16 hours at the designed flow rate".
- 4. In rule 4, of the said rules, for sub-rule (2), the following sub-rule shall be substituted, namely:—
 - "(2) Any factory for the manufacture of vessels in accordance with a type or standard or code approved under sub-rule (1) shall be approved by the Chief Controller. Any person seeking such approval shall submit to the Chief Controller—
 - (a) The particulars specified in Appendix-I to these rules:—
 - (b) a scrutiny fee of runees five hundred".
- 5. for rule 11, of the said rules, the following rules shall be substituted, namely:—
 - "Procedure for payment fees—All fees payable under these rules shall be paid through crossed demand draft on any nationalised bank in favour of the Chief Controller of Explosives, Nagpur and in cases where the amount payable does not exceed Rs. 100, the payment may be made by cash, money order, postal order or cheque drawn on a local bank".
- 6. After rule 11 of the said rules, the following rules shall be inserted, namely:—
 - "11A. Procedure for grant and revocation of recognition to competent person and Inspector:—
 - (i) Anybody intending to be recognised as Competent Person or Inspector shall submit to the Chief Controller, an application in the form prescribed in Appendix-III. Every application shall be accompanied by a scrutiny fees of Rs. 500 for application for competent person and Rs. 1000 for appliaction for Inspector. The Chief Controller shall register such application and within a period of sixty days of the date of receipt of the application either afer having satisfied himself with regard to competence and professional ethics recognise the applicant as a competent nerson or an Inspector, as the case may he, or reject the application specifying the reasons therefor.

- (ii) The Chief Controller may, after giving an opportunity to the inspector or competent person of being heard revoke the recognition—
 - (a) if he has reason to believe that an Inspector or competent person has violated any condition stipulated in the letter of recognition or has carried out a test, examination and inspection or has acted in a manner inconsistent with the intent or the purpose of these rules; or
 - (b) for any other reason to be recorded in writing".
- 7. In sub-rule (2), said rules, for clause (xiii), the following clause shall be substituted namely:—
 - "(xiii) relief valves shall be tested by a competent person for correct opeartion not less than once in a year and a record of such test shall be maintained. The test certificate shall be issued in the prescribed proforma".
 - 8. In rule 19 of the said rules after sub-rule (1),
 - (a) the following shall be added, namely:-
 - "In case of vessels which are so designed, constructed or supported that they cannot be safely filled with water or liquids for hydraulic testing, or which are used in services wherever traces of water cannot be tolerated. Chief Controller may permit pneumatic testing alongwith non-destructive tests instead of hydraulic testing, as per procedure laid down in vessel fabrication code, after satisfying himself about

- the adequacy of the safety precautions undertaken;"
- (b) in sub-rule (2) at the end, the words "in prescribed proforma" shall be added.
- 9. In rule 33, of the said rules the words "given below appearing after the word "proforma" shall be substituted by the works "prescribed by the Chief Controller". The proforma appearing below rule 33 shall be omitted.
- 10. In rule 43 of the said rules the words "in prescribed proforma" shall be added after the words "A Cerificate of safety".
- 11. In rule 44 of the said rules (a) in sub-rule (1), the words "A check shall be made on the vehicle to" shall be substituted by the words "The licensee for any vehicle shall".;
 - (b) for sub-rule (2) the following such rule shall be substituted, namely:—
 - "(2) An examination of the vehicle to check that the vehicle is maintained as per subrule (1) shall be carried out every six months by a competent person and a certificate in the prescribed proforma shall be issued by him".
- 12 In Chapter VII of the said rules, for the heading the following heading shall be substituted namely:—

"ACCIDENTS AND INJURIES"

13. The Appendix to the said rules shall be numbered as Appendix-I and after Appendix-I as so numbered, the following Appendices shall be added, namely:—

APPENDIX II

[see rule 2(·)]

QUALIFICATION AND EXPERIENCE OF INSPECTOR AND COMPETENT PERSON

SI No.	Rule under which competency is recognised	Qualification and other requirements	Experience for the purpose	Minimum facilities
1	2	3	4	5
1	Rule 12(3) 'Inspector'	(1) Degree in Chemical or Mechanical or Metallurgical or Marine Engineering from a recognised University or equivalent professional qualifications.	(1) A minimum experience of 10 years in design, fabrication and stagewise inspection during fabri- cation of pressure vessels and equipments operating under pressure.	That may be specified by Chief Controller of Explo- sives from time to time.
		(2) Physically fit and mentally sound for carrying out tests and examination.	 (2) He shall be— (a) conversant with the relevant codes of fabrication and test procedures relating to pressure vessels and their fitting. 	

3 (b) conversant with the statutory requirements concerning design and safety of unfired pressure vessels. Rule 18, 19 33, 43 (1) Degree in Chemical or Mechanical (1) A minimum experince of 10 years Facilities for carrying out Engineering or Marine Engg. or (a) design and fabrication, erection hydraulic test, non-destruc. md 44 equivalent professional qualifications operation, maintenance and; tiv. tests, gauges, equip. (b) testing, examination and inspecments gadgets for measuretion of pressure vessels or ment a 10 any other gauges or equipment operating under equipment to determine the pressure. safety in the use of pressure vessels. (2) Physically fit and mentally sound (2) He shallbe for carrying out tests and examinations (a) conversant with the relevant codes of practice and test procedures relating to pressure vessels: (b) conversant with statutory requirements concerning safety of unfired pressure vessels installations and transport vehicles. (c) conversant with non-destructive testing techniques as are applicable to pressure vesse's. (d) able to identify defects and arr ve at a reliable conclusion with regard to the safety of pressure

Note An ense of an organisation, the constituent members shall fulfil the requirement under column 3 individually and those under column (4) collectively.

vessels.

APPENDIX III

[See rules 2(p) and 11A]

A. APPLICATION FOR RECOGNITION AS COMPETENT PERSON UNDER THE STATIC AND MOBILE PRESSURE VESSELS (UNFIRED) RULES, 1981:

[See rules 18, 19, 33, 43 & 44 (2)]

- 1 Name & full address of the organisation:
- 2. Organisation status
 (Specify whether individual or Govt.
 Autonomous, Co-operative, Corporate or
 Private Body registered under Company's
 (Act).
- 3 Purpose for which competency is sought (Specify the rules).
- 4. Whether the organisation person has been declared as a competent person under any other statute, If so, give details,
- 5 (i) Set up of the organisation person.
 - (of constituent members in case of organisation).

- (iii) Experience (of constituent members in case of organisation) with regard to fabrication, installation, maintenance in case of transport vehicles and examination and testing of pressure vessels and various fittings and in other related fields. Please refer to requirements mentioned in column 4 of Appendix II. (Please attach documentary evidence of the experience).
- Particulars of equipment, Gauges etc. available with the Organisation for carrying out the Inspection Testing.
- Details of the procedures followed in carrying out stage by stage inspection test for certification under different rules.
- 8. Any other information.
- 9. Declaration

1		hereov,	on beha	If of
		-certify 1	the details	fur
nished above are	correct to	the best	of my k	now-
ledge. I undertake	to (i) mainta	in the fa	cilities in	good
working order and				~

(ii) to fulfill and abide by all the conditions stipulated in the certificate of competency and instructions issued by the Chief Controller from time to time.

Place:

Date:

Signature of the Head of the Organisation

Name & Designation-

Seal of the Institution

B. APPLICATION FOR RECOGNITION AS AN INSPECTOR COMING UNDER THE PURVIEW OF STAITIC AND MOBILE PRESSURE VESSELS (UNFIRED) RULES, 1981

[See rule 12 (2)]

- 1. Name & full address of the organisation:
- Organisation status (Specify whether Govt., Autonomous, Co-operative, Corporate or Private body registered under Company's Act.
- 3. Whether the organisation has been declared as a competent person under this or any other statute, if so, give details.
- 4. (i) Set up of the organisation.
 - (ii) Name & qualification of its constituent members.
 - (iii) Experience of the Organisation and constituent members with regard to stagewise inspection during fabrication of pressure vessels and various fittings and in other related fields. Please refer to the requirement mentioned in column (4) in Appendix II. (Please attach documentary evidence of the experience).
- 5. Particulars of equipment, Gauges etc. available with the Organisation for carrying out the Inspection Testing.
- 6. Details of the procedure followed in carrying our stage-by-stage inspection tests for certification.
- 7. Proforma of test and Inspection certificates to be issued to various parties.
- 8. Any other information.
- 9. Declaration:

details furnished above are correct to the best of my knowledge. I undertake to fulfil and abide by all the conditions and instructions issued by the Chief Controller from time to time.

Place:

Date:

Signature of the Head of the Organisation

Name & Designation----

Seal of the Institution

- C. APPLICATION FOR GRANT OF CERTIFICATE OF COMPETENCY TO A PERSON FOR CERTIFING STORAGE INSTALLATIONS OR TRANSPORT VEHICLES OWNED & OPERATED BY THE ORGANISATION IN WHICH HE IS EMPLOYED.*
 - 1. Name
 - 2. Date of Birth
 - 3. Name of the organisation
 - 4. Designation
 - 5. Educational qualification (Copies of testimonials to be attached).
 - 6. Particulars of professional experience (in chronological order):

Name of the organisation Period of Designation Area of responsibilities

- 7. Membership, if any, of professional bodies.
- 8. Details of facilities (examination, testing etc.) at his disposal.
- 9. Purpose for which competency certificate is sought (specify the rules).
- Whether the applicant has been declared as a competent person under any Statute (If so, details).
- 11. Any other relevant information.
- 12. Declaration by the applicant.

I————, hereby declare that the information furnished above is true. I undertake—

- (a) that in the event of my leaving the aforesaid organisation, I will promptly inform the Chief Controller;
- (b) to fulfil and abide by all the conditions stipulated in the certificate of competency and instructions issued by the Chief Controller from time to time.

Place:

Date:

Signature of the applicant

(a) Notify the Chief Controller in case the competent person leaves our employment:

Place:

Date:

- (b) provide and maintain in good order all facilities at his disposal as mentioned above;
- (c) notify the Chief Controller any change in the facilities.
- * Example: An officer in a refinery for certifying LPG storage vessels or the installation".

112)	Mα	2751/80 DDD 12/36/81

IF. No. 2(5) 89-DPR FGGS

A. P. SINGH, Jt. Secy.

			Sign	ature
Name	and	Design	ation	
Telep	hone	No.—		
Telex	No.			
			Official	Seal.

FOOT NOTE:—Principal rules were published vide Notification No. 45(E), dated 4-2-81, in the Gazette of India Extraordinary Part II, Section-3, sub-section (i).